Redline / Strikeout Version

Part III, Appendix III-D.6-B

LCWP HELP Model Outputs

No redline provided since the entire section has been updated

1. SUMMARY TABLE OF HELP MODEL RUNS



2. OPEN CONDITIONS

- A. LEACHATE COLLECTION SYSTEM CONFIGURATION A
- B. LEACHATE COLLECTION SYSTEM CONFIGURATION B
- C. LEACHATE COLLECTION SYSTEM CONFIGURATION C



2. OPEN CONDITIONS

- A. LEACHATE COLLECTION SYSTEM CONFIGURATION A
- **B. LEACHATE COLLECTION SYSTEM CONFIGURATION B**
- C. LEACHATE COLLECTION SYSTEM CONFIGURATION C



TO APPENDIX III-D.6 HELP MODEL OUTPUTS

2. OPEN CONDITIONS

- A. LEACHATE COLLECTION SYSTEM CONFIGURATION A
- B. LEACHATE COLLECTION SYSTEM CONFIGURATION B
- C. LEACHATE COLLECTION SYSTEM CONFIGURATION C



3. INTERMEDIATE CONDITIONS



4. CLOSED CONDITIONS



- 5. ANALYSES WITH INTRODUCED CONTAMINATED WATER
 - A. OPEN CONDITIONS 20 FEET OF WASTE
 - B. INTERMEDIATE CONDITIONS 50 FEET OF WASTE
 - C. INTERMEDIATE CONDITIONS 100 FEET OF WASTE



TO APPENDIX III-D.6 HELP MODEL OUTPUTS

- 5. SENSITIVITY ANALYSES WITH INTRODUCED LEACHATE
 - A. OPEN CONDITIONS
 - B. INTERMEDIATE CONDITIONS 50 FEET OF WASTE
 - C. INTERMEDIATE CONDITIONS 100 FEET OF WASTE



- 5. SENSITIVITY ANALYSES WITH INTRODUCED LEACHATE
 - A. OPEN CONDITIONS
 - B. INTERMEDIATE CONDITIONS 50 FEET OF WASTE
 - C. INTERMEDIATE CONDITIONS 100 FEET OF WASTE

